





Top 2000

MIG/MAG



Top 2000**T i 3G (DR)**

60% (10 min.)
 Mix : 225 A (DR: 200 A)
 CO₂: 250 A (DR: 225 A)
 O 0.8 - 1.2 mm

T i 5G (DR)

60% (10 min.)
 Mix : 220 A (DR: 200 A)
 CO₂: 250 A (DR: 230 A)
 O 0.8 - 1.2 mm

T i 6G

60% (10 min.)
 Mix : 350 A
 CO₂: 380 A
 O 1.0 - 1.6 mm

T i 7G (S / L / DR)

60% (10 min.)
 Mix : 240 A (L: 310 A ; DR: 220 A)
 CO₂: 270 A (L: 340 A ; DR: 250 A)
 O 1.0 - 1.6 mm

**T i 5W**

100% (10 min.)
 Mix : 290 A
 CO₂: 320 A
 O 0.8 - 1.2 mm

T i 7W (S / L)

100% (10 min.)
 Mix : 400 A (L: 450 A)
 CO₂: 450 A (L: 500 A)
 O 1.0 - 1.6 mm

T i 8W



100% (10 min.)
 Mix : 500 A
 CO₂: 550 A
 O 1.2 - 3.2 mm

T i 9W (S / L / Alu)

100% (10 min.)
 Mix : 500 A
 CO₂: 550 A
 O 1.0 - 1.6 mm
 2-



T i 8G
 60% (10 min.)
 Mix : 400 A
 CO₂: 430 A
 Ø 1.2 - 3.2 mm



T i 9W 3
 100% (10 min.)
 Mix : 600 A
 CO₂: 650 A
 Ø 1.2 - 1.6 mm
 3-

T i 10W
 100% (10 min.)
 Mix : 650 A
 CO₂: 700 A
 Ø 1.6 - 3.2 mm
 2-



Heavy Duty: TBi 8W, 9W, 10W



2-K: TBi 5W, 7W

2

Ready for Tomorrow.

